

ILLEGIB

~~TOP SECRET~~

Copy 4
6 Pages

DECLASS REVIEW BY NIMA / DoD

15584-
TCS-80002/65
January 1965

PHOTOGRAPHIC INTERPRETATION REPORT

SOVIET MILITARY ORDER OF BATTLE BALTIC MD



CIA




DIA

Handle Via **TALENT - KEYHOLE** Control Only

WARNING

This document contains classified information affecting the national security of the United States within the meaning of the espionage laws U. S. Code Title 18, Sections 793 and 794. The law prohibits its transmission or the revelation of its contents in any manner to an unauthorized person, as well as its use in any manner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of the United States. It is to be seen only by personnel especially indoctrinated and authorized to receive TALENT-KEYHOLE information. Its security must be maintained in accordance with KEYHOLE and TALENT regulations.

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER



~~TOP SECRET~~

GROUP 1
Excluded from automatic
downgrading and declassification

Handle Via
TALENT-KEYHOLE
Control System Only

TOP SECRET CHESS RUFF

TCS-80002/65

PREFACE

This report is one in a series on Soviet Ground Force and Logistic installations being prepared for a DIA/CIA Panel. The series is being coordinated, published and disseminated by NPIC. The photographic analysis is being performed by the NPIC Photographic Analysis Group, the CIA Photographic Intelligence Division (NPIC), and the Production Center 1P1a (DIA). The photographic analysis for this particular report was performed by the Production Center 1P1a.

In the interest of uniformity, the titles and letter designators for the facilities observed at these installations are identical with those appearing in the project requirement. When a specific facility is not observed both its title and letter designator are omitted in the report.

Titles and letter designators for the various facilities are as follows: (A) railroad service, (B) road service, (C) landing strips, (D) administrative and troop housing areas, (E) storage areas, (F) ammunition storage areas, (G) POL storage areas, (H) other buildings and facilities, (J) equipment storage/maintenance areas, (K) athletic fields, (L) small arms firing ranges, (M) driver training areas, (N) tank/assault gun firing ranges, (P) flat trajectory firing ranges, (Q) artillery emplacements (batteries), (R) infantry or combined arms field training areas or courses, (S) special training facilities, (T) unidentified facilities or tracking activity.

TOP SECRET CHESS RUFF

Handle Via
TALENT-KEYHOLE
Control System Only

Handle Via
TALENT-KEYHOLE
Control System Only

TOP SECRET CHESS RUFF

TCS-80002/65

KALININGRAD ARMY BARRACKS SOUTHWEST
AND
KALININGRAD ARMY BARRACKS PONART
(54-41N 020-28E)
KALININGRAD, LATVIYSKAYA SSR, USSR
BALTIC MD

BE No: See Text

AL No: [REDACTED]

COMOR No: See Text




FIGURE 1. LOCATION OF KALININGRAD ARMY BARRACKS SOUTHWEST AND KALININGRAD ARMY BARRACKS PONART.

TOP SECRET CHESS RUFF

Handle Via
TALENT-KEYHOLE
Control System Only

TCS-80002/65



FIGURE 2. KALININGRAD ARMY BARRACKS SOUTHWEST AND KALININGRAD ARMY BARRACKS PONART.

- 3 -

TOP SECRET CHESS RUFF

Handle Via
TALENT-KEYHOLE
Control System Only

TOP SECRET CHESS RUFF

TCS-80002/65

SUMMARY

25X1A
25X1A

Kaliningrad Army Barracks Southwest [REDACTED] is located approximately 3 kilometers (km) southwest of the center of Kaliningrad at 54-41-28N 020-28-15E (Figure 1).

This installation covers approximately 25 acres and contains 3 multistory barracks, 2 administration buildings, 4 vehicle storage/maintenance buildings, 2 storage buildings, and 4 support buildings (Figures 2 and 3).

25X1A
25X1A

Kaliningrad Army Barracks Ponart [REDACTED] is located ap-

proximately 4.5 km south-southwest of the center of Kaliningrad at 54-40-30N 020-28-40E.

This installation covers approximately 25 acres and contains 5 multistory barracks, 2 administration buildings, 5 vehicle storage/maintenance buildings, 2 storage buildings and 5 support buildings.

The 2 installations were covered on interpretable photography from KEYHOLE missions between [REDACTED]. A comparative analysis reveals no major changes at either of these installations since [REDACTED].

DESCRIPTION OF INSTALLATION

Railroad Service

The barracks areas are accessible by rail.

Road Service

Both installations are served by the primary and secondary roads of Kaliningrad.

Administrative and Troop Housing Areas

Area D of Kaliningrad Army Barracks Southwest contains 2 E-shaped multistory barracks, a U-shaped multistory barracks, 2 administration buildings, and a support building.

Area D of Kaliningrad Army Barracks Ponart contains 2 E-shaped multistory barracks and 3 other multistory barracks, 2 administration buildings, 2 storage buildings, and 3 support buildings.

Equipment Storage/Maintenance Areas

Area J of Kaliningrad Army Barracks Southwest contains 1 F-shaped vehicle/equipment storage building (base 350 by 60 feet and legs 180 by 60 feet and 100 by 60 feet), 1 vehicle storage building (330 by 40 feet), 1 vehicle/equipment shed (260 by 60 feet), 1 vehicle maintenance building (300 by 80 feet), 2 storage buildings, and 3 support buildings.

Kaliningrad Army Barracks Ponart (Area J) contains a vehicle storage/maintenance building (base 700 by 60 feet and 3 wings, each 325 by 60 feet), a vehicle storage building (325 by 60 feet), a vehicle/equipment storage shed (325 by 60 feet), a vehicle storage building (235 by 60 feet), a vehicle maintenance building (400 by 100 feet), and 2 support buildings.

TOP SECRET CHESS RUFF

Handle Via
TALENT-KEYHOLE
Control System Only

TCS-80002/65




FIGURE 3. KALININGRAD ARMY BARRACKS SOUTHWEST AND KALININGRAD ARMY BARRACKS PONART.
Sketch compiled from [REDACTED]

25X1D

- 5 -

TOP SECRET CHESS RUFF

Handle Via
TALENT-KEYHOLE
Control System Only

TOP SECRET CHESS RUFF

Handle Via
TALENT-KEYHOLE
Control System Only

TCS-80002/65

REFERENCES

PHOTOGRAPHY

25X1D



MAPS OR CHARTS

US Air Target Chart, Series 200, Sheet 0169-10HL, 3d ed, Nov 63 (SECRET)

DOCUMENTS

25X1C



REQUIREMENT

DIAAP-1- 5-64 (partial answer)

NPIC PROJECT

11904 '64